

METHODS TO INCREASE CLASS I PRESENTATION OF
EXOGENOUS ANTIGENS BY HUMAN DENDRITIC CELLS
Michael Salgaller, et al.




FIG. 1

METHOD TO INCREASE CLASS I PRESENTATION OF
EXOGENOUS ANTIGENS BY HUMAN DENDRITIC CELLS
Michael Salgaller, et al.




FIG. 2A




FIG. 2B




FIG. 2C

METHODS TO INCREASE CLASS I PRESENTATION OF
EXOGENOUS ANTIGENS BY HUMAN DENDRITIC CELLS
Michael Salgaller, et al.




FIG. 3A




FIG. 3B





FIG. 3C



METHODS TO INCREASE CLASS I PRESENTATION OF
EXOGENOUS ANTIGENS BY HUMAN DENDRITIC CELLS
Michael Salgaller, et al.




FIG. 5A

METHODS TO INCREASE CLASS I PRESENTATION OF
EXOGENOUS ANTIGENS BY HUMAN DENDRITIC CELLS
Michael Salgaller, et al.




FIG. 5B

METHODS TO INCREASE CLASS I PRESENTATION OF
EXOGENOUS ANTIGENS BY HUMAN DENDRITIC CELLS
Michael Salgaller, et al.




FIG. 6A

METHOD TO INCREASE CLASS I PRESENTATION OF EXOGENOUS ANTIGENS BY HUMAN DENDRITIC CELLS
Michael Salgaller, et al.




FIG. 6B